

COQUITLAM LAB **ABBOTSFORD LAB**
 #100 – 42 Fawcett Road #103 – 2602 Mt Lehman Road
 Coquitlam, BC V3K 6X9 Abbotsford, BC V4X 2N3
 (604) 521-6806 (604) 776-3370



EALABS
EPOCH ANALYTICAL INC
 ASBESTOS • LEAD • MOULD ANALYSIS

CHAIN OF CUSTODY

Company Name: _____
Contact Name: _____
Address: _____ **City:** _____
Phone Number: _____ **Email:** _____

Type of Analysis:	Turnaround Time:
<input type="checkbox"/> Asbestos Bulk by PLM - EPA/600/R93-116	<input type="checkbox"/> Regular - 24 hours <input type="checkbox"/> Rush – 4 hours
<input type="checkbox"/> Asbestos Air by PCM - NIOSH 7400	<input type="checkbox"/> Hot Rush - <1 hour <input type="checkbox"/> Emergency (Afterhours)
<input type="checkbox"/> Asbestos Point Count <input type="checkbox"/> 400 pts <input type="checkbox"/> 1000 pts	<input type="checkbox"/> Regular 48 hours <input type="checkbox"/> Rush – 24 hours
<input type="checkbox"/> *TEM <input type="checkbox"/> Bulk <input type="checkbox"/> Air <input type="checkbox"/> MicroVac	<input type="checkbox"/> Regular 5 to 7 days <input type="checkbox"/> Rush – 2 to 4 days
<input type="checkbox"/> Mold (Genus ID) <input type="checkbox"/> Bulk <input type="checkbox"/> Swab <input type="checkbox"/> Air	<input type="checkbox"/> Regular 48 hours <input type="checkbox"/> Rush – 24 hours
<input type="checkbox"/> *Bacteria (e.Coli) <input type="checkbox"/> Bulk <input type="checkbox"/> Swab	<input type="checkbox"/> Regular 3 days (<i>Total coliforms and count</i>)
<input type="checkbox"/> Lead (Pb) Bulk by X-Ray Fluorescence	<input type="checkbox"/> Regular – 48 hours <input type="checkbox"/> Rush – 24 hours
<input type="checkbox"/> Lead (Pb) Air/Wipe by NIOSH 7082 & EPA/7000B	<i>(Paint Chip min. weight .25g or 2"x2" for XRF)</i>
<input type="checkbox"/> *Lead TCLP Leachate by EPA/1311 & EPA/6020B	<input type="checkbox"/> Regular – 3 days (<i>min. weight 105g</i>)

Project Name / #: _____
Project Address: _____ **Project City:** _____
Date Sampled: _____ **EA Lab #:** _____ EA

Sample Number	Location	Material Type or Air Sample Type	For Air Samples Only	
			Time (min)	Flow Rate (L/min)

Disposal Instructions: Unless requested in writing, all samples will be disposed of 30 days after analysis date.

◆ Only materials itemized on the Chain of Custody will be analyzed. ◆ Additional layers such as mastics must be itemized separately. ◆ Lab report dates and sample results cannot be altered upon completion. No refunds on samples already analyzed. All changes must be requested in writing. ◆ Use a separate Chain of Custody per Type of Analysis and Turnaround Time. ◆ Drywall samples void of Joint Compound or Mud will be reported as "No Mud Found" on Lab Report. ◆ Mark "Stop Positives" in groupings with SP1, SP2, SP3 etc... ◆ Types of Analysis marked * are sent to an accredited 3rd party laboratory.

Special Instructions: _____
Sample Collector: _____ **Signature:** _____
Submitted by: _____ **Date / Time:** _____

Received by: _____ **Date / Time:** _____ **PAID by:** _____